



MCWN

MCWN "NINJA" SERIES SINGLE SECURITY SUSPENDED CRANE SCALES



Easy to use and reliable professional digital crane scales, for weighing in industrial environments, fitted with protective transport case.

**The single security system makes them suitable for lifting and weighing the load.**

Thanks to their compact size, these crane scales just slightly reduce the lifting distance of the crane. Available also CE-M APPROVED. Fitted with test certificate obtained with standard weights.

**The best solution  
for advanced industrial  
applications**

## MAIN FEATURES

- Single security system, for the lifting and the weighing of the load.
- In compliance with the directives 2006/42 CE, UNI EN 13155/2009, UNI EN 13889, 2014/30/EU.
- Fitted with the following upper and lower shackle:
  - GR3 for MCWNT1
  - GR6 for MCWNT3
  - GR6 for MCWNT6
  - GR9 for MCWNT9.
- Compact size and minimum distance between upper and lower shackle.
- 25 mm LCD backlit display, easily visible in any lighting condition.
- Precision: +/- 0.03% on MAX.
- 5-key waterproof keypad: Zero, semi automatic or preset Tare, Mode, Print, On/Off.
- Sturdy case in oven-fire painted steel.
- Fitted with infrared remote control for up to 8m distance use. The remote control can be configured by the customer as a single automatic tare or as a remote keypad.
- Power supply through 4 AA batteries, which may be rechargeable (operating time of about 40 hours).
- Digital calibration and programmable Set-Up directly from the keypad or from the PC with Dinitools.
- Programmable digital filter and auto switch-off.
- Operating temperature: -10 /+40 °C.
- RS232 serial port on RJ11 connector for quick programming with Dinitools.
- Fitted with protective transport case with dimensions (WxLxH) 175x480x390mm.

## OPTIONS (ONLY AT TIME OF ORDER)

- 868Mhz radio interface
- Bluetooth [Interface](#)

DETAIL 1



DETAIL 2



DETAIL 3



DETAIL 4

CODE	WEIGHT (kg)	
	WITHOUT PACKAGING	WITH PACKAGING
MCWNT1	8	11
MCWNT3	10	14
MCWNT6	11	15
MCWNT9	15	18

## VERSIONS

### Available versions



Codice	Max (kg)	d (kg)	M (kg)
MCWNT1-3	300/600/1500	0,1/0,2/0,5	--
MCWNT1M-3 	1500	--	0,5
MCWNT3-3	600/1500/3000	0,2/0,5/1	--
MCWNT3M-3 	3000	--	1
MCWNT6-3	1500/3000/6000	0,5/1/2	--
MCWNT6M-3 	6000	--	2
MCWNT9-3	3000/6000/9500	1/2/5	--
MCWNT9M-3 	9000	--	5



MWS LTD

UNIT 6, MEER END - LE4 3EH - BIRSTALL - LEICESTER - UNITED KINGDOM

Tel. 08452602602

Fax. 0044-08452602612

E-mail [sales@mws.ltd.uk](mailto:sales@mws.ltd.uk)

Web [www.mws.ltd.uk](http://www.mws.ltd.uk)