



TPWLKW

TPWLKW "LOGISTIC" SERIES PALLET TRUCK SCALE WITH WIDE FORKS



Pallet truck scale, with built-in electronic weighing, fitted with forks 680mm width, which making it ideal for the handling of pallets in the Food & Chemical Industry Sector. Fitted with rechargeable extractable battery. Available also with a built-in printer as well as CE-M DOUBLE RANGE approved. Manufactured, calibrated and adjusted in Italy by Dini Argeo, using certified sample masses.

**The best solution
for advanced industrial
applications**

MAIN FEATURES

- Maximum lifting capacity: 2000 kg.
- Accuracy: +/- 0.1% of the maximum capacity in the versions for internal use.
- Accuracy: +/- 0.05% of the maximum capacity in the "M" approved versions.
- Forks dimensions 1240 x 680 x 85 mm.
- Weighs about 134 kg.
- Structure in extra thick steel and oven-fire painted mechanics.
- Steering wheels and double loading poliurethane rollers.
- 4 stainless steel IP68 load cells for the legal for trade use version, IP67 load cells for the internal use version.
- Weight indicator in IP65 STAINLESS STEEL waterproof case, which is easy to clean and resistant to harsh and corrosive environments; large 25mm LCD display high contrast digits, which are clearly visible even in poor lighting conditions and with low temperatures, and 17-key functional waterproof keypad, with indication for quick access to main functions and regulations.
- Configuration, calibration and diagnostics from keyboard or PC with DINITOOLES.
- Power supply through extractable rechargeable battery mounted on the pallet truck column.
- The operating time is of about 80 hours of continuous use or one month with the tipycal non continuous use, thanks to its auto switch-off function.
- Programmable auto power saving function. Battery level indication.
- Equipped with 230Vac 50 Hz battery charger.
- Configurable RS232/C bidirectional port for connection to a printer, with customisable print format.
- Configurable RS232/C bidirectional port for PC, modem radio or portable terminal.
- IR input for remote control management.
- Fitted with thermal printer in the TPWLKWP and TPWLKWPM versions, with Date&Time card.

AVAILABLE UPON PRICE ESTIMATE

- Special steering wheels.
- Special fork length from 850 to 1500 mm.
- Special capacity e/o divisions.
- High resolution.

SELECTABLE FUNCTION MODES

- The user can select the operating modes directly using the dedicated key*:
 - High resolution display x 10
 - Precision weighing with temporary recalibration via a sample weight (for internal factory use)
 - Net/Gross
 - Lb to Kg converter
 - Free conversion factor (for meter and litre counters etc.)
 - Weight totalizer
 - Formulizer
 - +/- controller with quick target and threshold input
 - Percentage weighing
 - Piece counter
 - Hold

The "alibi memory" function is available in combination with the required operating mode and it is activated automatically when installing the relevant optional board.

- Access to the user menu is gained using the dedicated key* to adjust the weighing filter, date and time, setpoint and tare weight, which the user can access by entering a programmable access password.

** These quick access keys to the menus can be blocked by configuring a dedicated password.*

VERSIONS

Available versions

Codice	Max (kg)	d (kg)	M (kg)
TPWLKW-2	500 / 1000 / 2000	0,2 / 0,5 / 1	--
TPWLKWP-2	500 / 1000 / 2000	0,2 / 0,5 / 1	--
TPWLKWM-2 M	1000 / 2000	--	0,5 / 1
TPWLKWPM-2 M	1000 / 2000	--	0,5 / 1

Please take note that the column and the handle-bar require assembly.



MWS LTD

UNIT 6, MEER END - LE4 3EH - BIRSTALL - LEICESTER - UNITED KINGDOM

Tel. 08452602602

Fax. 0044-08452602612

E-mail sales@mws.ltd.uk

Web www.mws.ltd.uk